BAL v ACOUSTIC: BAL RATING SUMMARY

BAL Low

No window or door upgrades

BAL 12.5

- Metal mesh screens to openable sashes
- Windows Grade A safety glass Laminated or Toughened to any glass within 400mm AFL (ground/balcony/roof)
- Doors No upgrade required as all glass in doors is Grade A safety glass

BAL 19

- Metal mesh screens to openable sashes
- Minimum 5mm Toughened Glass to all windows and doors

BAL 29

- Metal mesh screens to openable sashes
- Metal mesh screen externally covering any glass in windows within 400mm AFL (ground/balcony/roof)
- Minimum 5mm Toughened Glass to all windows
- Minimum 6mm Toughened Glass to all doors



BAL v ACOUSTIC: BAL 12.5

		BAL 12.5			
Glass substance		Glass RW only*	Product	Alternative glass	Applicable products
Standard laminate			Window		All Residential, Benchmark & Commercial grade windows
	6.38mm	33	Door	6.38 Laminate complies to BAL 12.5	SLIDING DOORS - Residential & Commercial HINGED Sentry, Benchmark & Commercial grade doors
			Window		Benchmark, Fixed & Awning Windows Commercial Fixed, Awning & Casement Windows
	10.38mm	36	Door	10.38mm Laminate complies to BAL 12.5	SLIDING DOORS - Residential & Commercial HINGED Sentry, Benchmark & Commercial grade doors
Acoustic Laminate	6.5mm	36	Window	6.5mm Acoustic Laminate complies to BAL 12.5	All Residential, Benchmark & Commercial grade windows All Residential, Benchmark & Commercial grade
			Window		doors Benchmark Fixed & Awning Commercial Fixed, Awning & Casement.
	10.5mm	39	Door	10.5mm Acoustic Laminate complies to BAL 12.5	SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors

^{*}Glass RW Value only: does not include frame



QUICK REFERENCE

BAL v ACOUSTIC: BAL 19

		BAL 19			
Glass substance		Glass RW only*	Product	Alternative glass	Applicable products
Standard laminate	6.38mm	33	Window	10mm Toughened	Benchmark Fixed & Awning Commercial Fixed, Awning, & Casement
			Door		SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
	10.38mm	36	Window	10mm Toughened	Benchmark Fixed & Awning Commercial Fixed, Awning & Casement
			Door		SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
Acoustic Laminate	6.5mm	36	Window	10mm Toughened	Benchmark Fixed & Awning Commercial Fixed, Awning & Casement
			Door		SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
	10.5mm	39	Window	19mm Toughened	Not Available

^{*}Glass RW Value only: does not include frame



QUICK REFERENCE

BAL v ACOUSTIC: BAL 29

		BAL 29			
Glass substance		Glass RW only*	Product	Alternative glass	Applicable products
Standard laminate			Window		Benchmark Fixed & Awning Commercial Fixed, Awning & Casement
	6.38mm	33	Door	10mm Toughened	SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
			Window		Benchmark Fixed & Awning Commercial Fixed, Awning & Casement
	10.38mm	36	Door	10mm Toughened	SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
Acoustic Laminate	6.5mm	36	Window	10mm Toughened	Benchmark Fixed & Awning, Commercial Fixed, Awning & Casement
			Door		SLIDING DOORS - Residential & Commercial HINGED - Sentry, Benchmark & Commercial grade doors
	10.5mm	39	Window	19mm Toughened	Not available

^{*}Glass RW Value only: does not include frame

